

price- ce list

→ conditions

→ product
index

.annud

Sales conditions

The prices shown in this price list are retail prices in €, EXW (INCOTERM 2020) & VAT NOT INCLUDED.

The net sale price will be calculated by applying the commercial discount provided by the company or its official distributors.

This price list comes into effect on 01/05/2025 and cancels all previous versions.

.annud reserves the right to make changes to its products without prior notice in order to improve quality, design, or environmental impact.

As part of our environmental awareness policy, this price list will not be printed. All communications and invoicing will be carried out electronically.

Order acceptance

Order proposals must be formalized in writing through official channels.

.annud will review the order and send a proforma for acceptance.

Once accepted and the payment terms indicated in the proforma are fulfilled, the production process will begin.

Order proposals must include:

Customer's fiscal data, as well as the delivery address of the goods.

A complete description of the selected products, which must include:

- a. Article code provided in the price list
- b. Finish as detailed as possible
- c. Number of units
- d. Extras

Due to our production process, if the order is canceled after 48 working hours from order confirmation, a charge of 50% of the total amount to be invoiced will apply.

Finishes

You can find all our finishes in our finishes catalogue or at www.annud.es.

All .annud products are made to order under strict quality controls. However, due to the natural characteristics of our raw materials and their variations in tone, mechanical and chemical properties, .annud cannot guarantee complete uniformity or identical appearance between products from the same or different batches.

.annud uses matte varnishes and lacquers on its wood and metal products. Colors outside the chart should be specified with their corresponding RAL or NCS code.

.annud guarantees the behavior of the textiles selected in its finishes chart; however, upholstery may show wrinkles or variations in tone with use.

Orders with COM/customer textiles will be evaluated within the ACCES category. The required fabric for production is detailed in this price list and is calculated for a width of 140cm. The required fabric will be sent by the customer, shipping prepaid. The production process will begin once it is received at our facilities.

All our products can be upholstered with flame-retardant foam. Please inquire about availability and price.

Special orders

It is possible to use different finishes and materials not shown in our selection, as well as customize the dimensions of our products.

These products are made "ad-hoc" and are subject to our production capacity. Please inquire about possibilities, delivery time, cost, and payment methods.

Shipping and delivery time

An estimated delivery time will be specified by .annud in the proforma invoice based on the specifics of each order.

This price list is based on EXW (Incoterms 2020) conditions, with collection from our premises at C/ Joan XXIII, 41, PO 46970, Alaquàs, Valencia, Spain. If requested by the client, .annud will provide a delivery cost under the specified Incoterms, which will be included in the proforma invoice

.annud reserves the right to palletize all shipments in order to ensure their integrity during transport and to charge for the cost of palletizing

Any bank charges or currency exchange fees incurred shall be borne by the buyer

Upon receiving goods, clients must check the number and condition of packages. Any irregularities must be reported to .annud in writing within 72 hours, including photographic evidence and shipping documentation. Claims submitted after this period will not be processed.

Payment terms

Payment terms and deadlines will be indicated by .annud in the proforma invoice provided for client approval.

Discounts and payment terms applied to one order do not imply the same conditions for future orders unless a signed agreement states otherwise.

Any bank charges or currency exchange fees incurred shall be borne by the buyer

If the customer requests a delivery delay of more than 60 days after order confirmation, .annud may require partial prepayment and may issue an invoice for storage costs.

Returned direct debits will require payment by bank transfer, including a 3% administrative fee based on the invoiced amount.

.annud retains ownership of all goods until full payment has been received. The company reserves the right to suspend deliveries if the buyer fails to meet the agreed payment terms.

Warranty and Returns

The warranty for all our products is 36 months from the date of the invoice, within a framework of reasonable use and appropriate to their characteristics.

For greater durability of our textiles, it is recommended to follow the cleaning and maintenance guide provided by the supplier.

Deficiencies caused by wear and tear, negligence, impacts, cleaning chemicals, improper use, normal product wear, or deficiencies due to weather conditions are not covered.

Returns under warranty will only be accepted within the specified period after documenting the issue graphically with .annud and after written confirmation. The claim review may take time to confirm the factory defect or rule out improper use. Returns must be properly protected.

Any legal issues that may arise are subject to the jurisdiction of the courts of Valencia.

Samples and downloads

The shipment of samples is subject to availability, conditions, and stock.

On our website, you can access catalogs, finishes, and technical data sheets.

Request 2D and/or 3D tools by writing to: hola@annud.es.

Data protection

The stored data will have an exclusively administrative, accounting, and tax function, as well as the sending of commercial information deemed relevant by Annud Mobiliario Diseño SL.

In accordance with the Personal Data Protection Act (Organic Law 15/1999), the user may exercise, at any time, the right to access, rectification, cancellation, and opposition to their data by notifying Annud Mobiliario Diseño SL, located at carrer Joan XXIII, n41. Polígono Industrial El Bovalar. Alaquàs. 46970. Valencia.

Customer service, order management and communications

OFFICE HOURS

Monday to Thursday:

9:00 AM to 2:00 PM and 3:00 PM to 6:00 PM

Friday:

9:00 AM to 2:00 PM


Phone: +0034 960443004

For shipments, orders, invoices, and claims:
produccion@annud.es

For inquiries and communications:
hola@annud.es


BRUT ^{new}

by Flic (2024)




OFFO ^{new}

by Arnau Reyna (2022 + 2024)




BALLOON

by Clap Studio (2020)



KAPOOR

by Santiago Sevillano Studio (2019 + 2020)



^{new} MINIM

by Ximo Roca Design (2024)



NIGIRI ^{new}

by Dibloo Estudio (2024)



FOOT

by .annud (2020)



SHELL

by Bambú Studio (2020)




SAPPORO

by Santiago Sevillano + .annud (2019)



CONNERY

by Santiago Sevillano (2019)



BRUT

by Flic (2024)

Interior structure made of solid wood, cinched in the seat and covered with high-density foam.
Upholstery joined with zippers on the sides.
Non-removable cover.

Default color of the zipper:
Black.


Hidden rotating connection system at the bottom for modularity.

A sketch of the final configuration is required with the order to position the connecting elements.


Sides upholstered in a different fabric from the central body will be quoted according to the higher cost category.

EXTRA
OTHER
COLOR
ZIPPER
+30


1cm = 0,393701 inch



1 piece - 0,95m³
25kg



1 piece - 0,6m³
18kg



1 piece - 0,95m³
35kg

		FABRIC					
new	central	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
	BRM10	790	820	860	890	930	1030
EXCLUSIVE MIX							
SEAT CUBIC + SIDES ATLANTIC							
1290							

3,10 m/unit
minimum width
140cm

central: 2,70 m
sides: 1,40 m
minimum width
140cm

		FABRIC					
new	pouf	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
	BRP10	595	625	635	675	710	770
EXCLUSIVE MIX							
SEAT CUBIC + SIDES ATLANTIC							
960							

2,30 m/unit
minimum width
140cm

central: 1,90 m
sides: 1,40 m
minimum width
140cm

		FABRIC					
new	corner	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
	BRC10	1290	1350	1430	1610	1760	1940
EXCLUSIVE MIX							
SEAT CUBIC + SIDES ATLANTIC							
2420							

5,30 m/unit
minimum width
140cm


central: 4,90 m
sides: 1,40 m
minimum width
140cm

BRUT

by Flic (2024)

Interior structure made of solid wood, cinched in the seat and covered with high-density foam.
Upholstery joined with zippers on the sides.
Non-removable cover.

1cm = 0,393701 inch



1 piece - 0,95m³
32kg

Default color of the zipper:
Black.

Hidden rotating connection system at the bottom for modularity.

A sketch of the final configuration is required with the order to position the connecting elements.

Sides upholstered in a different fabric from the central body will be quoted according to the higher cost category.

EXTRA
OTHER
COLOR
ZIPPER
+30

new
isle
BRI10

FABRIC					
ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
1390	1450	1530	1710	1860	2040
EXCLUSIVE MIX					
SEAT CUBIC + SIDES ATLANTIC					
2550					

5,50 m/unit
minimum width
140cm


central: 5,10 m
sides: 1,40 m
minimum width
140cm

USB-C charger, one port, in black.
Other electrification options, please inquire.

Location, as per the diagram.

EXTRA
USB-C
+150








EXTRA
LATERAL
POCKET
+60



BRUT

by Flic (2024)

mix&match



MINIM

by Ximo Roca Design (2024)

Steel structure with a 30mm oval section.

Seat and backrest made of beech plywood with an oak finish.
Upholstery option with high-density foam.


Flat plastic end caps.

All lacquered oak pieces will be made with an open pore finish.

Stackability:
3-4 units
Stackability piece included.



1cm = 0,393701 inch



2 pieces - 0,33m³
20kg



STRUCTURE		SEAT + BACKREST	
		NATURAL OAK	OPEN PORE LACQUERED
MNA10	NCS/RAL	280	290
MNA11	Metallised	305	315

STRUCTURE		SEAT + BACKREST					
		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
MNA10	NCS/RAL	365	370	385	410	430	460
MNA11	Metallised	390	395	410	435	455	485

1,20 m/unit
minimum width
140cm

STRUCTURE		BACKREST	SEAT					
			ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
MNA10	NCS/RAL	Natural oak	320	325	330	340	355	365
MNA10	NCS/RAL	NCS/RAL open pore	330	335	340	350	365	375
MNA11	Metallised	Natural oak	345	350	355	365	380	390

0,60 m/unit
minimum width
140cm

MINIM

by Ximo Roca Design (2024)


Steel structure with a 30mm oval section.

Seat made of beech plywood with an oak finish.
Upholstery option with high-density foam.


Flat plastic end caps.

All lacquered oak pieces will be made with an open pore finish.


1cm = 0,393701 inch



1 piece - 0,16m³
8kg



1 piece - 0,23m³
9,5kg



1 piece - 0,26m³
10kg

STRUCTURE		SEAT							
		FABRIC							
		OAK	LACQUE	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
new	stool H46								
MNA20	NCS/RAL	198	205	235	240	250	260	270	285
MNA21	Metallised	218	225	255	260	270	280	290	305
									0,60 m/unit minimum width 140cm

STRUCTURE		SEAT							
		FABRIC							
		OAK	LACQUE	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
new	stool H65								
MNA30	NCS/RAL	280	290	320	325	330	345	355	370
MNA31	Metallised	300	310	340	345	350	365	375	390

 0,60 m/unit
minimum width
140cm

STRUCTURE		SEAT							
		FABRIC							
		OAK	LACQUE	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
new	stool H75								
MNA40	NCS/RAL	288	300	325	330	340	350	360	375
MNA41	Metallised	308	315	345	350	360	370	380	395

 0,60 m/unit
minimum width
140cm

MINIM

by Ximo Roca Design (2024)

Calibrated steel base with an 8mm thickness in the central base.




1cm = 0,393701 inch

Steel structure with an oval section of 30mm.

18mm thick moisture-resistant MDF board.


Flat plastic end caps.

For other heights, please inquire.



	STRUCTURE	TOP
new table H74		NCS/RAL
MNM10_74	NCS/RAL	350
MNM11_74	Metallised	375

	STRUCTURE	TOP
new table H92		NCS/RAL
MNM10_92	NCS/RAL	360
MNM11_92	Metallised	385



	STRUCTURE	TOP
new table H92		NCS/RAL
MNM20_92	NCS/RAL	1050
MNM21_92	Metallised	1150

The top and structure are shipped separately.
Package 1 (structure): 0.10m³ - 25kg.
Package 2 (top): 0.06m³ - 10kg.
Assembly required.

new Table with a folding mechanism for stackability.

For contract projects only.
Custom quotation.



OFFO

by Arnau Reyna (2022 + 2024)

Interior structure made of solid wood.
Cinched structure in the seat.
Reinforced structure with wood in the backrest.
High-density foam.


Height-adjustable leveling legs.

Hidden rotating connection system
at the bottom for modularity.


Fabrics with low elasticity require a
side zipper.

A sketch of the final configuration is
required with the order to position the
connecting elements.



1cm = 0,393701 inch




pouf	FABRIC					
	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
OFP10	575	605	615	655	690	750
new EXTRA Wood Top +150						



central	FABRIC					
	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
OFM10	880	910	950	980	1020	1120



corner	FABRIC					
	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
OFC10	1120	1180	1230	1300	1350	1480




OFFO

by Arnau Reyna (2022 + 2024)


Interior structure made of solid wood.
Cinched structure in the seat.
Reinforced structure with wood in the backrest.
High-density foam.

1cm = 0,393701 inch



1 piece - 1,45m³
48kg

Height-adjustable leveling legs.
Hidden rotating connection system at the bottom for modularity.



Fabrics with low elasticity require a side zipper.

A sketch of the final configuration is required with the order to position the connecting elements.

For the divan model, it is necessary to indicate the position of the backrest.

		FABRIC					
new	divan	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
	OFD10	1470	1530	1580	1650	1700	1830

6,00 m/unit
minimum width
140cm

Side tables:
5mm lacquered steel sheet.

			30cm	new	OFST10	NCS/RAL	170
				new	OFST11	Metallised	190
			50cm	new	OFST20	NCS/RAL	150
				new	OFST21	Metallised	170

Armrest:
3mm steel sheet.

		50cm	new	OFB10	NCS/RAL	150
			new	OFB11	Metallised	170
		12cm				
		32cm	new	EXTRA	Natural wood armrest	+30
			new	Upholstered armrest	*same fabric as module	+40










USB-C charger, one port, in black.
Other electrification options, please inquire.
The location must be indicated with a sketch.

EXTRA
USB-C
+150

OFFO

by Arnau Reyna (2022 + 2024)

mix&match



NIGIRI

by Dibloo Estudio (2024)

Interior structure made of solid wood, covered with high-density foam and upholstered.


Seat made of oak plywood.

All lacquered oak pieces will be made with an open pore finish.


Elastic band available in the following colors:
- Black
- Pistachio

EXTRA
OTHER
COLORS
+30

1cm = 0,393701 inch



1 piece - 0,20m³
7,5kg



1 piece - 0,21m³
8kg

SEAT		STRUCTURE						
new	pouf H40		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
	NRA10	Oak	445	465	485	505	535	625
	NRA11	NCS/RAL	465	485	505	525	555	645

1,50 m/unit
minimum width
140cm

SEAT		STRUCTURE						
new	pouf H45	ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE	
	NRA20	Oak	475	495	515	535	565	655
	NRA21	NCS/RAL	495	515	535	555	585	675

1,70 m/unit
minimum width
140cm


FOOT

by .annud (2020)

Base made of calibrated steel with a thickness of 8mm.

Central column made of calibrated steel with a diameter of 70mm.


1cm = 0,393701 inch



The top and structure are shipped separately.
Package 1 (structure): 0.10m³ - 25kg.
Package 2 (top): 0.06m³ - 10kg.
Assembly required.


High-pressure laminate (HPL) top with a thickness of 12mm.

Height-adjustable legs.



The top and structure are shipped separately.
Package 1 (structure): 0.14m³ - 28kg.
Package 2 (top): 0.06m³ - 10kg.
Assembly required.

Please inquire about other top options.



STRUCTURE		TOP
table H74		BLACK HPL
FTM10	Black	410

STRUCTURE		TOP
table H100		BLACK HPL
FTM20	Black	440

central leg	HEIGHT	LACQUE	
		NCS/RAL	METALLISED
FTE1	H74	260	300
FTE2	H100	290	330

BALLOON

by Clap Studio (2020)


Internal structure made of solid wood, covered with high-density polyurethane foam.

Calibrated tubular steel legs with a diameter of 30mm.

Hidden spherical plastic end caps.

Elastic fabrics are recommended.


1cm = 0,393701 inch



1 piece - 0,58m³
25kg

lounges		LACQUE			FABRIC		
		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
BALL10	NCS/RAL	1050	1080	1130	1230	1320	1430
BALL11	Metallised	1090	1120	1170	1270	1360	1470

3,50 m/unit
minimum width
140cm



1 piece - 0,58m³
33kg

lounges		LACQUE			FABRIC		
		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
BALL20	NCS/RAL	1100	1150	1200	1300	1340	1510
BALL21	Metallised	1110	1160	1210	1310	1350	1520

3,70 m/unit
minimum width
140cm

BALLOON

by Clap Studio (2020)


Internal structure made of solid wood, covered with high-density polyurethane foam.

Calibrated tubular steel legs with a diameter of 30mm.


Hidden spherical plastic end caps.

Elastic fabrics are recommended.

1cm = 0,393701 inch



1 piece - 0,20m³
12kg



1 piece - 0,30m³
22kg

LACQUE		FABRIC					
pouf S		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
BAP10	NCS/RAL	600	615	640	685	720	770
BAP11	Metallised	625	640	665	710	745	795

1,50 m/unit
minimum width
140cm

LACQUE		FABRIC					
pouf M		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
BAP20	NCS/RAL	675	695	720	770	815	870
BAP20	Metallised	700	720	745	795	840	895

1,70 m/unit
minimum width
140cm

Calibrated tubular steel with a diameter of 30mm.

Beech wood top with a diameter of 20cm and beveled edge.

Please specify left or right position.





TABLE	LEG	
	NCS/RAL	Metallised
NCS/RAL	80	85
Beech	90	95




SHELL

by BambúStudio (2020)

Structure made of calibrated tubular steel with a diameter of 22mm.
Armrests made of calibrated tubular steel with a diameter of 20mm.

1cm = 0,393701 inch



2 pieces - 0,33m³
20kg



1 piece - 0,30m³
11kg



1 piece - 0,30m³
12kg

Shell made of plywood with an oak finish or MDF board.

High-density foam for upholstery.

Spherical plastic end caps.

chair	STRUCTURE	SHELL		
		LACQUE MDF	NATURAL OAK	OPEN PORE LACQUE
SHA10	NCS/RAL	230	260	270
SHA11	Metallised	250	280	290

	STRUCTURE	FABRIC					
		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
SHA10	NCS/RAL	330	340	355	365	380	410
SHA11	Metallised	350	360	375	385	400	430

1,00 m/unit
minimum width
140cm

lounge	STRUCTURE	FABRIC					
		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
SHA30	NCS/RAL	400	415	430	460	490	520
SHA31	Metallised	430	445	460	490	520	550

1,10 m/unit
minimum width
140cm

lounge with arms	STRUCTURE	FABRIC					
		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
SHA40	NCS/RAL	490	505	520	550	580	610
SHA41	Metallised	520	535	550	580	610	640

1,10 m/unit
minimum width
140cm

SHELL

by BambúStudio (2020)

Structure made of calibrated tubular steel with a diameter of 22mm.


Shell made of plywood with an oak finish or MDF board.

High-density foam for upholstery.

Spherical plastic end caps.



EXTRA
INOX STEEL
PROTECTION
+25

1cm = 0,393701 inch



1 piece - 0,33m³
12,5kg


stool H68



STRUCTURE		SHELL		
		LACQUE MDF	NATURAL OAK	OPEN PORE LACQUE
SHA50	NCS/RAL	290	320	330
SHA51	Metallised	320	350	360



STRUCTURE		FABRIC					
		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
SHA50	NCS/RAL	390	395	405	425	445	465
SHA51	Metallised	420	425	435	455	475	495

0,80 m/unit
minimum width
140cm



1 piece - 0,35m³
13kg

stool H78



STRUCTURE		SHELL		
		LACQUE MDF	NATURAL OAK	OPEN PORE LACQUE
SHA60	NCS/RAL	320	350	360
SHA61	Metallised	350	380	390

STRUCTURE		FABRIC					
		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
SHA60	NCS/RAL	420	425	435	455	475	495
SHA61	Metallised	450	455	465	485	505	525

0,80 m/unit
minimum width
140cm

KAPOOR

by Santiago Sevillano Studio (2019 + 2020)

Structure made of calibrated tubular steel with a diameter of 16mm.



1cm = 0,393701 inch

Backrest made of curved plywood and flat seat made of MDF, both covered with high-density polyurethane foam.

Plastic end caps.

Thicker textiles are not compatible with the trim and are upholstered with a hidden zipper.

EXTRA
FELT
END CAPS
+ 7


EXTRA
INOX STEEL
PROTECTION
+25



2 pieces - 0,33m³
20kg

STRUCTURE		FABRIC					
chair		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
KPA10	NCS/RAL	460	470	485	500	515	555
KPA11	Metallised	490	500	515	530	545	585


1,15 m/unit
minimum width
140cm



1 piece - 0,35m³
12kg

STRUCTURE		FABRIC					
stool H70		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
KPA20	NCS/RAL	500	510	525	540	555	595
KPA21	Metallised	530	540	555	570	585	625

1,15 m/unit
minimum width
140cm



1 piece - 0,38m³
13kg

STRUCTURE		FABRIC					
stool H80		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
KPA30	NCS/RAL	525	535	550	565	580	620
KPA31	Metallised	555	565	580	595	610	650

1,15 m/unit
minimum width
140cm

KAPOOR

by Santiago Sevillano Studio (2019 + 2020)

Structure made of calibrated tubular steel with a diameter of 16mm.






1cm = 0,393701 inch

Backrest made of curved plywood and flat seat made of MDF, both covered with high-density polyurethane foam.





Plastic end caps.

Thicker textiles are not compatible with the trim and are upholstered with a hidden zipper.


EXTRA
FELT
END CAPS
+ 7



STRUCTURE		FABRIC					
lounge		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
KPA40	NCS/RAL	660	690	730	760	800	880
KPA41	Metallised	695	725	765	795	835	915



STRUCTURE		FABRIC					
wing		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
KPA50	NCS/RAL	700	730	770	800	840	920
KPA51	Metallised	735	765	805	835	875	955



KAPOOR

by Santiago Sevillano Studio (2019 + 2020)


Interior structure made of MDF, covered with high-density polyurethane foam.

Handle made of calibrated tubular steel with a diameter of 16mm.


Height-adjustable leveling legs.

EXTRA
WHEELS
2ud.
+ 20

1cm = 0,393701 inch



1 piece - 0,20m³
15kg



1 piece - 0,21m³
16kg

STRUCTURE		FABRIC					
pouf H40		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
KPA60	NCS/RAL	370	390	410	425	450	510
KPA61	Metallised	385	405	425	440	465	525

1,50 m/unit
minimum width
140cm

STRUCTURE		FABRIC					
pouf H45		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
KPA70	NCS/RAL	390	410	430	445	470	530
KPA71	Metallised	405	425	445	460	485	545

1,70 m/unit
minimum width
140cm

Structure made of calibrated tubular steel with a diameter of 30mm.

Top made of 18mm thick birch plywood.




table	LACQUE	TOP
		BIRCH
KPM10	NCS/RAL	920
KPM11	Metallised	960

The top and structure are shipped separately.
Assembly required.

KAPOOR

by Santiago Sevillano Studio (2019 + 2020)


Structure made of calibrated tubular steel with a diameter of 16mm.

Top made of 18mm thick birch plywood or 12mm thick HPL.


Plastic end caps.

EXTRA
FELT
END CAPS
+ 7


1cm = 0,393701 inch



high table	LACQUE	TOP	
		BIRCH	NCS/RAL
KPB10	NCS/RAL	490	515
KPB11	Metallised	525	550



coffe table H45	LACQUE	TOP	
		BIRCH	NCS/RAL
KPC10	NCS/RAL	450	475
KPC11	Metallised	470	495



side table H55	LACQUE	TOP	
		BIRCH	NCS/RAL
KPC20	NCS/RAL	400	420
KPC21	Metallised	420	440

SAPPORO

by Santiago Sevillano Studio + .annud (2019)

Beech wood structure.
Seat made of plywood, covered with high-density polyurethane foam.

Polyamide end caps.

Available in other woods such as oak or ash, only for projects. Please inquire about minimum order and prices.

new





EXTRA
BACKREST
COVER
+ 60

*same fabric as the chair

EXTRA
FELT
END CAPS
+ 7

1cm = 0,393701 inch



1 piece - 0,30m³
10kg

STRUCTURE		FABRIC					
chair		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
SPA30	Wood	420	425	435	450	460	480
SPA31	NCS/RAL	430	435	445	465	475	495

0,70 m/unit
minimum width
140cm

CONNERY

by Santiago Sevillano Studio (2019)

Beech wood structure.

Backrest frame made of wood, covered with high-density polyurethane foam.


Seat made of plywood, covered with high-density polyurethane foam.

Polyamide end caps.


Not available in highly elastic fabrics.

EXTRA
FELT
END CAPS
+ 7

1cm = 0,393701 inch



2 pieces - 0,43m³
21kg



1 piece - 0,38m³
13kg

STRUCTURE		FABRIC					
chair		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
CNA10	Wood	575	590	599	625	650	670
CNA11	NCS/RAL	590	605	615	645	670	690

1,00 m/unit
minimum width
140cm

STRUCTURE		FABRIC					
armchair		ACCES	BASIC	BASIC+	PREMIUM	PREMIUM+	EXCLUSIVE
CNA30	Wood	700	715	725	750	775	795
CNA31	NCS/RAL	720	735	745	770	795	815

1,00 m/unit
minimum width
140cm

price- list

ANNUD MOBILIARIO DISEÑO SL

Carrer Joan XXIII, número 41
Polígono Industrial El Bovalar
Alaquàs. 46970. Valencia, Spain
hola@annud.es
+34 960 443 004

[@annud.concept](https://www.annud.es)
www.annud.es